

Elstead
LIGHTING

Elstead Lighting Limited
Mill Lane, Alton, Hampshire GU34 2QG.
Tel: 01420 82377 Fax: 01420 89261

Elstead
LIGHTING

The Medieval Iron
COLLECTION

ELSTEAD LIGHTING

CATALOGUE
3



The Lighting Collection

Elstead
LIGHTING

Elstead
LIGHTING

QUALITY LIGHTING MANUFACTURERS

Elstead
LIGHTING

Your Symbol Of Quality

For over 30 years Elstead Lighting has specialised in the manufacture of Quality Traditional light fittings and are today recognised as one of the leading suppliers within our field. Based at Alton in the heart of rural Hampshire our staff have become skilled in the blending of very traditional manufacturing methods such as Blacksmithing and Forging with modern techniques using state of the art digital and CNC equipment. As a result our products are of a constant high quality and stylish appearance yet keeping their authentic hand-made appeal. Our aims are high but simple; To supply products of outstanding quality, beauty and performance matched with levels of service unrivalled by any other.

Elstead Lighting

Our manufacturing facility on 1.25 acres in Alton, Hampshire

The modern Elstead Lighting is a company of tireless investment, development and innovation. Since the construction and implementation of a new 1.25 acre manufacturing facility, which included the installation of a robotic, semi-automatic finishing system, a new 1 Acre Sales and Distribution centre has been set up, just 1/2 mile away. This new centre emphasises Elstead Lighting's commitment to providing our customers with the highest levels of deliveries and service. In addition we also make a further commitment to our customers by way of an extensive consumer awareness programme.

Elstead Lighting Ltd, Mill Lane, Alton, Hampshire GU34 2QG
Tel: 01420 82377 Fax: 01420 89261 Website: www.elstead-lighting.co.uk

Contents

Within this catalogue we present 4 divisions of product offer, namely Interior Lighting and Accessories, Exterior Lighting (Tradional and Contemporary) and Contemporary low voltage Lighting. Much of our Interior Lighting range is marketed under the very successful Medieval Iron Collection branding whilst all of our own produced Outdoor Lighting is sold under the Exterior Lighting Collection. We also have our Contemporary Interior Lighting range which offers low voltage mirror lights, highwire systems and other wall and table fittings. The Contemporary Exterior Lighting range offers fittings of an attractive design and high performance lighting output with many fittings supplied as standard with low energy light sources.

The Medieval Iron Collection

This unique range of hand crafted fittings has been designed and developed to fulfil today's demand for beautiful iron lighting with a Medieval/Gothic flavour. Many styles are available as a full suite of product and these authentic models are all available in a variety of hand painted finishes.

Exterior Lighting Collection

Being diverse yet versatile has long been our strength within our exterior range. These products are primarily manufactured from die-cast aluminium and have been specially chrome - polymer dipped prior to powder coating to ensure good long term weather durability. Consisting of products as diverse as Classical styled lanterns to typically British style lanterns to low energy Contemporary exterior fittings, we now offer the most comprehensive outdoor lighting selection in the Country.
These are enhanced by our 10 year anti - corrosion guarantee.



Contemporary Interior Lighting

Elstead Lighting introduced high wire cable systems and mirror lights to dedicate a focused effort into stylish yet contemporary low voltage lighting. The inclusion of the Kiko wall, floor and table fittings together with new fixed Track designs fully complements this versatile and attractive range.

Contemporary Exterior Lighting

The Contemporary Exterior Lighting range offers architecturally designed luminaries with an extremely high quality appearance. Manufactured to an exceptionally high standard these models are supplied with low energy light sources offering high performance light output.

Medieval Iron Collection

Designed and Printed by Colourgraphic Arts, Bordon 01420 474000
Photography by Martyn O'Kelly Photographic 01420 473946
Photographic sets gratefully provided by DUCAL Ltd. Andover. 01264 333666

Carisbrooke

THE CARISBROOKE RANGE

A range of Candelabra style Gothic fittings with distinctive hand bound wire drapes and waxed ivory candle tubes. This range is available in Black, Black/Gold and Green/Gold finishes.


CB5 Black


CB3 Black


CB1 Black


CB2 Black


CB6 Shown in Black Finish


CB8 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
CB1	Carisbrooke 1lt Bkt	1 x 60W BC	–	92mm	210mm	270mm	–
CB2	Carisbrooke 2lt Bkt	2 x 60W BC	–	340mm	135mm	270mm	–
CB3	Carisbrooke 3lt Chandelier	3 x 60W BC	470mm	–	–	405mm	1105mm
CB5	Carisbrooke 5lt Chandelier	5 x 60W BC	470mm	–	–	405mm	1105mm
CB6	Carisbrooke 6lt Chandelier	6 x 60W BC	610mm	–	–	575mm	1275mm
CB8	Carisbrooke 8lt Chandelier	8 x 60W BC	860mm	–	–	700mm	1400mm

Carisbrooke

THE CARISBROOKE RANGE INCLUDING GLASS

To further enhance the rustic elegance of this design the addition of hand finished cream Scavo glass ensures a truly authentic Gothic flavour. This range is available in Black, Black/Gold and Green/Gold finishes.



CB1/G Shown in Black/Gold finish



CB2/G Black



CB5/G Black



CB6/G Black



CB3/G Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
CB1/G	Carisbrooke 1lt Bkt	1 x 60W BC	–	135mm	245mm	270mm	–
CB2/G	Carisbrooke 2lt Bkt	2 x 60W BC	–	400mm	170mm	270mm	–
CB3/G	Carisbrooke 3lt Chandelier	3 x 60W BC	530mm	–	–	405mm	1105mm
CB5/G	Carisbrooke 5lt Chandelier	5 x 60W BC	530mm	–	–	405mm	1105mm
CB6/G	Carisbrooke 6lt Chandelier	6 x 60W BC	670mm	–	–	575mm	1275mm
CB8/G	Carisbrooke 8lt Chandelier	8 x 60W BC	920mm	–	–	700mm	1400mm
CB12/G	Carisbrooke 8lt+4lt Chandelier	12 x 60W BC	1040mm	–	–	800mm	2400mm

Carisbrooke
THE CARISBROOKE RANGE

This already successful and popular range has been further enhanced with the addition of the CB12 8lt + 4lt Chandelier. On top of this we have added the new Bright Steel finish as a standard stock colour for this range, in both the Candle Lamp and Glass versions.



CB2 Bright Steel



CB6 Bright Steel



CB12 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
CB2	Carisbrooke 2lt Wall Bracket	2 x 60W BC	–	340mm	135mm	270mm	–
CB6	Carisbrooke 6lt Chandelier	6 x 60W BC	610mm	–	–	575mm	1275mm
CB12	Carisbrooke 8lt+4lt Chandelier	12 x 60W BC	980mm	–	–	800mm	2400mm

Chartwell
THE CHARTWELL RANGE

The subtlety of the scrolls matched to the hand - worked wire bound arms and waxed candle tubes gives this range a timeless appeal. Available in Black, Black/Gold and Verdigris finishes.


CH1 Black


CH2 Shown in Verdigris Finish


CH3 Black


CH5 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
CH1	Chartwell 1lt Wall Bkt	1 x 60W BC	–	92mm	210mm	100mm	–
CH2	Chartwell 2lt Wall Bkt	2 x 60W BC	–	340mm	135mm	–	–
CH3	Chartwell 3lt Chandelier	3 x 60W BC	470mm	–	–	405mm	1105mm
CH5	Chartwell 5lt Chandelier	5 x 60W BC	470mm	–	–	405mm	1105mm

Chartwell

THE CHARTWELL RANGE INCLUDING GLASS

The addition of our hand finished cream Scavo glass to this range adds to the sense of these products being truly craftsman made. Available in Black, Black/Gold and Verdigris finishes.



CH5/G Shown in Black/Gold Finish



CH1/G Black



CH2/G Black



CH3/G Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
CH1/G	Chartwell 1lt Wall Bkt	1 x 60W BC	–	135mm	245mm	245mm	–
CH2/G	Chartwell 2lt Wall Bkt	2 x 60W BC	–	400mm	170mm	245mm	–
CH3/G	Chartwell 3lt Chandelier	3 x 60W BC	530mm	–	–	405mm	1105mm
CH5/G	Chartwell 5lt Chandelier	5 x 60W BC	530mm	–	–	405mm	1105mm

Minster

THE MINSTER RANGE

An elegant range of compact Gothic fittings designed to fit into situations of lower ceilings. With its attractive looped drape this range is as versatile as it is attractive.
Available in Black, Black/Gold and Green/Gold finishes.



MN6 Shown in Green/Gold Finish



MN1 Shown in Black Finish



MN3 Black



MN2 Shown in Black Finish

Minster

THE MINSTER RANGE



MN6/F Black



MN5 Black



MN5/F Black



MN3/F Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
MN1	Minster 1lt Wall Bkt	1 x 60W BC	–	85mm	175mm	190mm	–
MN2	Minster 2lt Wall Bkt	2 x 60W BC	–	260mm	145mm	190mm	–
MN3	Minster 3lt Chandelier	3 x 60W BC	370mm	–	–	310mm	1010mm
MN3/F	Minster 3lt Flush	3 x 60W BC	370mm	–	–	335mm	–
MN5	Minster 5lt Chandelier	5 x 60W BC	370mm	–	–	310mm	1010mm
MN5/F	Minster 5lt Flush	5 x 60W BC	370mm	–	–	335mm	–
MN6	Minster 6lt Chandelier	6 x 60W BC	480mm	–	–	375mm	1075mm
MN6/F	Minster 6lt Flush	6 x 60W BC	480mm	–	–	400mm	–

Belfry
THE BELFRY RANGE

A truly Medieval design, the Belfry offers Hand Crafted Metalwork at its very best. With 10 variants offered in a choice of Black, Black/Gold and Bright Steel finishes, Belfry is a comprehensive range to suit a wide variety of installations.



BY3 Black/Gold



BY1 Black



BY2 Black



BY2 Bright Steel



BY4/F Black

Belfry

THE BELFRY RANGE



BY5 Black



BY4 Shown in Bright Steel finish



BY6 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BY1	Belfry 1lt Wall Bracket	1 x 60W BC	–	120mm	190mm	400mm	–
BY2	Belfry 2lt Wall Bracket	2 x 60W BC	–	265mm	155mm	400mm	–
BY3	Belfry 3lt Chandelier	3 x 60W BC	480mm	–	–	460mm	820mm
BY3/F	Belfry 3lt Semi Flush	3 x 60W BC	480mm	–	–	460mm	–
BY4	Belfry 3lt +1lt Chandelier	4 x 60W BC	480mm	–	–	570mm	930mm
BY4/F	Belfry 3lt +1lt Semi Flush	4 x 60W BC	480mm	–	–	570mm	–
BY5	Belfry 5lt Chandelier	5 x 60W BC	600mm	–	–	460mm	820mm
BY5/F	Belfry 5lt Semi Flush	5 x 60W BC	600mm	–	–	460mm	–
BY6	Belfry 5lt +1lt Chandelier	6 x 60W BC	600mm	–	–	570mm	930mm
BY6/F	Belfry 5lt +1lt Semi Flush	6 x 60W BC	600mm	–	–	570mm	–

Stoneleigh
THE STONELEIGH RANGE

A range of downlights which still keep their Medieval appearance whilst fulfilling the needs of low ceilings. Supplied with our cream Scavo glass. Available in Black, White/Gold and Green/Gold finishes.



SL3 Shown in White/Gold Finish



SL1 Green/Gold



SL2 Green/Gold

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
SL1	Stoneleigh 1lt Wall Bkt	1 x 60W BC	–	135mm	275mm	210mm	–
SL2	Stoneleigh 2lt Wall Bkt	2 x 60W BC	–	410mm	220mm	210mm	–
SL3	3lt Flush downlight	3 x 60W BC	500mm	–	–	330mm	–

Kircaldy
THE KIRCALDY RANGE

A uniquely designed product incorporating hand worked tubular arms to cream Scavo finish Conical glass giving a contemporary look with Medieval overtones. Available in Black, Black/Gold and Green/Gold finishes.



KK2 Black



KK5 Black



KK3 Shown in Green/Gold Finish

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
KK2	Kircaldy 2lt Wall Bkt	1 x 60W BC	–	340mm	175mm	290mm	–
KK3	Kircaldy 3lt Wall Bkt	3 x 60W BC	450mm	–	–	420mm	1120mm
KK5	Kircaldy 5lt Chandelier	5 x 60W BC	450mm	–	–	420mm	1120mm

Rectory
THE RECTORY RANGE

These authentic hand forged fittings offer a blend of wrought iron ruggedness and craftsmen made elegance to give a truly Medieval appearance.
Available in Black finish only.


CL6 Black


WL7 Black


WL10 Black


WL8 Black


WL9 Black


CL5 Black


CL1 Black


CL9 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
WL7	Rectory 1lt Wall Bkt	1 x 60W BC	–	110mm	170mm	110mm	–
WL8	Rectory 2lt Wall Bkt	2 x 60W BC	–	295mm	130mm	110mm	–
WL9	Rectory 1lt Wall Bkt	1 x 60W BC	–	85mm	175mm	160mm	–
WL10	Rectory 2lt Wall Bkt	2 x 60W BC	–	295mm	135mm	160mm	–
CL1	Rectory 4lt Chandelier	4 x 60W BC	670mm	–	–	90mm	750mm
CL5	Rectory 3lt Chandelier	3 x 60W BC	515mm	–	–	90mm	600mm
CL6	Rectory 6lt Chandelier	6 x 60W BC	845mm	–	–	90mm	1000mm
CL9	Rectory 3lt Chandelier	3 x 60W BC	380mm	–	–	120mm	600mm

Ribbon Twist

THE RIBBON TWIST RANGE

Our new Ribbon Twist range offers a Medieval feel but with a distinctive contemporary look with all of the Ribbon drapes hand-formed from exclusively made metal bar. Available in Black, Black/Gold, Green/Gold and Bright Steel finishes.



FR6 Bright Steel



FR8 Bright Steel



UPL5 Bright Steel



WU5 Bright Steel



WU5 Black



TBL12 Shown with LS1 Shade

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht
FR6	Ribbon/Twist Semi-Flush	3 x 100W E27	370mm	–	–	500mm
FR8	Ribbon/Twist Ceiling Uplighter	1 x 150W E27	360mm	440mm	–	535mm
TBL12*	Ribbon/Twist Table Lamp	1 x 60W BC	120mm	–	–	280mm
UPL5	Ribbon/Twist Floor Uplighter	1 x 150W BC	360mm	–	–	1740mm
WU5	Ribbon/Twist Wall Uplighter	1 x 100W BC	–	310mm	160mm	525mm

* Dimensions exclude LS1 Shade which is sold separately

Wall Uplighters

THE WALL UPLIGHTER RANGE

A unique range of beautiful hand made Iron Wall Uplighters to blend in with some of the themes offered throughout our Medieval Iron collection. Available in Black, Black/Gold and Green/Gold finishes. *

**WU1 not standard in Green/Gold but in Verdigris.*



WU3 Black/Gold



WU4 Shown in Green/Gold Finish



WU1* Black/Gold



WU2 Black/Gold

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
WU1	Chartwell Wall Uplighter	1 x 60W BC	–	260mm	130mm	130mm	–
WU2	Carisbrooke Wall Uplighter	1 x 60W BC	–	260mm	130mm	130mm	–
WU3	Knot/Twist Wall Uplighter	1 x 60W BC	–	260mm	130mm	260mm	–
WU4	La Torcherie Wall Uplighter	1 x 60W BC	–	370mm	170mm	180mm	–

Floor & Table

THE FLOOR & TABLE RANGE

As with much of our Medieval Iron Collection, the Blacksmiths Knot/Twist used on some of these floor and table fittings give a truly Gothic flavour, further enhanced by hammered edges, delicate scrolls and hand crafted collars. Available in Black, Black/Gold and Green/Gold finishes.


TBL7 Black/Gold shown with LS3 shade


FSL1 Black shown with LS4 Shade


UPL2 Shown in Black/Gold


TBL2 Black shown with LS1 shade


TBL3 Shown in Green/Gold Finish

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
UPL2	Knot/Twist Uplighter	1 x 100W BC	–	340mm	–	1805mm	–
TBL7	Knot/Twist Table Lamp	1 x 60W BC	–	200mm	–	600mm	–
FSL1	Knot/Twist Floor Std	1 x 100W BC	–	480mm	–	1415mm	–
TBL2	Wavy Iron Table Lamp	1 x 60W BC	–	135mm	–	355mm	–
TBL3	Swan Neck & Glass Table Lamp	1 x 60W BC	–	300mm	–	375mm	–

Floor & Table

THE FLOOR & TABLE RANGE



UPL1 La Torcherie shown in Green/Gold Finish



FSL4 La Pirouette shown in Green/Gold Finish with LS4 shade



TBL6 Shown in Black/Gold Finish with LS3 Shade



TBL8 Black with LS3 shade

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
UPL1	La Torcherie Uplighter	1 x 100W BC	–	340mm	–	1710mm	–
TBL6	La Torcherie Table Lamp	1 x 60W BC	–	125mm	–	475mm	–
FSL4	La Pirouette Floor Std	1 x 100W BC	–	560mm	–	1430mm	–
TBL8	La Pirouette Table Lamp	1 x 60W BC	–	190mm	–	500mm	–

Floor & Table

THE FLOOR & TABLE RANGE

Our latest creations incorporate even more elaborate working of Wrought Iron to further give our portable lighting the appeal of beauty in appearance yet practicality in function. Available in Black, Black/Gold and Green/Gold finishes.


TBL4 Shown in Black/Gold finish with LS2 shade


TBL5 Shown in Black/Gold finish


TBL1 Black with LS2 shade


UPL4 Belvedere shown in Green/Gold finish

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
TBL4	Cage Table Lamp	1 x 60W BC	–	100mm	–	290mm	–
TBL5	Cage Table Lamp with Glass	1 x 100W BC	–	305mm	–	500mm	–
TBL1	Heart Scroll Table Lamp	1 x 60W BC	–	135mm	–	400mm	–
UPL4	Belvedere Uplighter	1 x 100W BC	–	400mm	–	1800mm	–

Floor & Table

THE FLOOR & TABLE RANGE

These new additions to our Medieval Iron Portable Lighting Selection continue to use the best of our Ironwork skills in order to produce fittings of quality and elegance. All of these models are available in our Standard Black, Black/Gold and Green/Gold Finishes as well as our new Bright Steel Finish.


TBL9 Bright Steel shown with LS2 Shade


TBL9 Black shown with LS3 Shade


TBL10 Black shown with LS4 Shade


UPL1 Bright Steel


UPL6 Black


TBL12 Bright Steel shown with LS1 Shade


TBL11 Black Complete with glass shade

Model/Code	Description	Max Wattage	Diam.	Fitting Ht
TBL9	Roman Column Table Lamp	1 x 60W BC	100mm	400mm
TBL10	Birdcage Table Lamp	1 x 100W BC	225mm	450mm
TBL11	Knot/Twist Table Lamp with glass	2 x 60W BC	340mm	450mm
TBL12	Ribbon/Twist Table Lamp	1 x 60W BC	120mm	280mm
UPL5*	Ribbon/Twist Floor Uplighter	1 x 150W BC	360mm	1740mm
UPL6	Forged Scroll Floor Uplighter	1 x 150W BC	400mm	1740mm
UPL1	La Torcherie Floor Uplighter	1 x 100W BC	340mm	1710mm

Dimensions do not include soft shades shown. These are sold separately.

Flush & Semi

THE FLUSH & SEMI FLUSH RANGE

A versatile range of functional yet elegant Flush and semi - Flush fittings from hand forged wrought iron. Available in Black, Black/Gold and Green/Gold finishes.


FR10 Bright Steel


FR4 Black


FR7 Black/Gold


FR2 Shown in Black


FR1 Shown in Green/Gold Finish


FR5 Shown in Green/Gold Finish


FR3 Shown in Black/Gold Finish


FF2 Black/Gold


FF1 Bright Steel

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
FR1	La Torcherie Semi-Flush	1 x 100W BC	340mm	–	–	450mm	–
FR2	Chartwell Semi-Flush	1 x 100W BC	260mm	–	–	325mm	–
FR3	La Torcherie Flush	1 x 100W BC	340mm	–	–	190mm	–
FR4	La Torcherie Chain Semi-Flush	1 x 100W BC	340mm	–	–	525mm	–
FR5	Cage Semi-Flush	1 x 100W BC	305mm	–	–	475mm	
FR6*	Ribbon/Twist Semi-Flush	3 x 100W E27	370mm	–	–	500mm	
FR7	Triple Knot Semi-Flush	1 x 100W E27	320mm	–	–	425mm	
FR8*	Ribbon/Twist Ceiling Uplighter	1 x 150W E27	360mm	440mm	–	535mm	
FR10	Knot/Twist Semi-Flush	3 x 60W BC	400mm	–	–	320mm	
FF1	Triple/Knot Flush	2 x 60W BC	365mm	–	165mm	165mm	
FF2	Twist Flush	2 x 40W BC	300mm	–	75mm	75mm	

Pendant

THE PENDANT RANGE

Following two familiar themes, our Pendant range utilises the attractive Medieval appeal of the Knot / Twist and the hand forged scroll with each style being offered in both a chain and semi-flush version. Available in Black, Black/Gold and Green/Gold finishes.



PND2 Shown in Green/Gold Finish



PND3 Shown in Green/Gold Finish



PND1 Shown in Black Finish



PND4 Shown in Green/Gold Finish

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
PND1	Knot Twist Pendant Chain	1 x 100W BC	340mm	–	–	385mm	765mm
PND2	Knot Twist Pendant Semi-Flush	1 x 100W BC	340mm	–	–	400mm	–
PND3	La Torcherie Pendant Chain	1 x 100W BC	340mm	–	–	410mm	790mm
PND4	La Torcherie Pendant Semi-Flush	1 x 100W BC	340mm	–	–	425mm	–

Medieval Mirrors

THE MEDIEVAL MIRROR RANGE

These Hand made, Hand forged Mirrors provide the ideal accessory to go with our Medieval iron lighting collection and are of exceptional quality. All designs are available in a choice of Black, Black/Gold, Green/Gold and Bright Steel finishes.



MM2 Bright Steel



MM1 Black/Gold



MM6 Bright Steel



MM5 Black

MM4 Black/Gold



MM3 Black



MM7 Black

Model/Code	Description	Width.	Height.
MM1	Gothic Twist Small Mirror	320mm	475mm
MM2	Gothic Twist Large Mirror	510mm	780mm
MM3	Knot/Twist Medium Mirror	535mm	690mm
MM4	Smithy Small Mirror	320mm	445mm
MM5	Smithy Medium Mirror	490mm	640mm
MM6	La Torcherie Medium Mirror	525mm	625mm
MM7	La Torcherie Large Mirror	670mm	820mm

Accessories

ACCESSORIES

LS1 17cm Micro-Pleat Shade



LS2 12" Cream Drum Shade

LS3 15" Cream Drum Shade

LS4 18" Cream Drum Shade



GS01 WU4 Spare Glass
GS02 WU1/2/3 Spare Glass



GS06 Cream Scavo Cone Glass



GS03 Spare UPL/PND Glass



GS04 Spare TBL5/UPL4 Glass



GS05 Cream Scavo Bell Glass

Model/Code	Description	Diam.	Width	Height
LS1	17cm Micro-pleat Shade	170mm	–	200mm
LS2	12" Cream Drum Shade	305mm	–	175mm
LS3	15" Cream Drum Shade	380mm	–	200mm
LS4	18" Cream Drum Shade	455mm	–	235mm
GS01	WU4 Spare Glass	–	340mm	125mm
GS02	WU1/2/3 Spare Glass	–	260mm	130mm
GS03	UPL/PND Spare Glass	340mm	–	125mm
GS04	TBL5/UPL4 Spare Glass	305mm	–	135mm
GS05	Cream Scavo Bell Glass	130mm	–	130mm
GS06	Cream Scavo Cone Glass	75mm	–	90mm
GS07*	UPL5 Cream Scavo Glass	360mm	–	135mm
GS08*	UPL5 Alabaster Glass	360mm	–	135mm
GS09*	WU5 Cream Scavo Glass	290mm	–	110mm
GS10*	WU5 Alabaster Glass	290mm	–	110mm

*Not Pictured.

Exterior Lighting Collection

Parish Mini

THE PARISH MINI RANGE

The Parish Mini offers the Blend of minimal, elegant styling yet fine attention to detail and quality. Manufactured from Die-Cast Aluminium these lanterns are supplied with clear glass panels and are offered in a choice of either Black or Black/Gold finishes.

PRM1 Black

PRM2 Black

PRM4 Black



PRM5 Black











Model/Code	Description	Max Wattage	W.	Proj.	H.
PRM1	Parish Mini Wall Lantern	1x100W E27	180mm	250mm	390mm
PRM2	Parish Mini Wall Lantern	1x100W E27	180mm	250mm	390mm
PRM4	Parish Mini Pedestal Lantern	1x100W E27	180mm	-	450mm
PRM5	Parish Mini Pillar Lantern	1x100W E27	180mm	-	950mm

Parish

THE PARISH RANGE

This distinctive and stylish range incorporates exceptional attention to detail and is offered in a full suite of mounting options. Manufactured from Die-Cast Aluminium these fittings are supplied with clear glass panels and are available in Black or Black/Gold finishes.



PR1 Black



PR2 Black



PR4 Black



PR7 Black/Gold



PR12 Black









Model/Code	Description	Max Wattage	W.	Proj.	H.
PR1	Parish Wall Lantern	1x100W E27	230mm	300mm	520mm
PR2	Parish Wall Lantern	1x100W E27	230mm	300mm	480mm
PR4	Parish Pedestal Lantern	1x100W E27	230mm	-	540mm
PR5	Parish Pillar Lantern	1x100W E27	230mm	-	1040mm
PR6	Parish Midi Lampost	1x100W E27	230mm	-	1800mm
PR8	Parish Twin Lampost	2x100W E27	650mm	-	2280mm
PR7	Parish Half Lantern	1x100W E27	220mm	130mm	410mm
PR12	Parish Flush Lantern	1x100W E27	300mm	-	165mm

Parish

THE PARISH RANGE

PR5 Black

PR6 Black







PR8 Black

Bramshot

THE BRAMSHOT RANGE

The elegant Bramshot range offers compact size with practical function and is fully made from Die Cast Aluminium. Available in Black or White finishes.



BM2 Black



BM4 Black



BM1 Shown in Black Finish



BM3 Chain Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting H	H inc chain
BM1	Bramshot Wall Lantern	1 x 60W E27	–	160mm	215mm	330mm	–
BM2	Bramshot Wall Lantern	1 x 60W E27	–	160mm	215mm	330mm	–
BM3	Bramshot Porch Chain Lantern	1 x 60W E27	–	160mm	–	270mm	570mm
BM4	Bramshot Pedestal Lantern	1 x 60W E27	–	160mm	–	375mm	–

Medstead

THE MEDSTEAD HALF LANTERN RANGE



MD7 PIR Black

The larger cousin of the Bramshot design, The Medstead half lanterns are of a decorative and highly popular design offered in both a standard 100W version and also a passive infra red version. Made from Die Cast Aluminium and available in Black, White and Verdigris finishes. (For full specification of PIR see security section).



MD7 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
MD7	Medstead Half Lantern	1 x 100W E27	–	260mm	135mm	445mm	–
MD7 PIR	Medstead PIR Half Lantern	1 x 100W E27	–	260mm	115mm	440mm	–

Chapel Mini

THE CHAPEL MINI RANGE

Simple yet classic lines are the trademark of our Chapel Mini Range. Manufactured from Die-Cast Aluminium these fittings are offered in Black or Black/Gold finishes and come supplied with clear glass panels.



CPM1 Black



CPM2 Black



CPM4 Black



CPM5 Black











Model/Code	Description	Max Wattage	W.	Proj.	H.
CPM1	Chapel Mini Wall Lantern	1x100W E27	170mm	240mm	380mm
CPM2	Chapel Mini Wall Lantern	1x100W E27	170mm	240mm	380mm
CPM4	Chapel Mini Pedestal Lantern	1x100W E27	170mm	-	440mm
CPM5	Chapel Mini Pillar Lantern	1x100W E27	170mm	-	940mm

Chapel

THE CHAPEL RANGE

This substantial lantern range offers classical styling incorporating exceptional attention to design detail. Available in a full compliment of mounting options these Die-Cast Aluminium lanterns come supplied with clear glass panels and are available in Black or Black/Gold finishes.











CP1 Black



CP12 Black



CP2 Black



CP7/2 Black/Gold



CP7 Black



CP4 Black

Model/Code	Description	Max Wattage	W.	Proj.	H.
CP1	Chapel Wall Lantern	1x100W E27	205mm	297mm	480mm
CP2	Chapel Wall Lantern	1x100W E27	205mm	297mm	440mm
CP4	Chapel Pedestal Lantern	1x100W E27	205mm	-	500mm
CP5	Chapel Pillar Lantern	1x100W E27	205mm	-	1000mm
CP6	Chapel Midi Lampost	1x100W E27	205mm	-	1790mm
CP7	Chapel 5 Side Half Lantern	1x100W E27	190mm	120mm	380mm
CP8	Chapel Twin Lampost	2x100W E27	600mm	-	2270mm
CP7/2	Chapel 3 Side Half Lantern	1x100W E27	220mm	140mm	410mm
CP12	Chapel Flush Lantern	1x100W E27	300mm	165mm	-

Chapel

THE CHAPEL RANGE



CP5 Black



CP6 Black



CP8 Black







New Kingsley

THE NEW KINGSLEY RANGE

The New Kingsley range has been created to fulfil the need for a larger, more distinctive lantern whilst keeping its attractive classical appearance. Manufactured fully from Die Cast Aluminium and available in Black or White finishes.



KL7 Shown in Black Finish



KL1 Black



KL5 Black



KL2 Black



KL4 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
KL1	Kingsley Wall Lantern	1 x 100W E27	–	230mm	325mm	515mm	–
KL2	Kingsley Wall Lantern	1 x 100W E27	–	230mm	325mm	515mm	–
KL4	Kingsley Pedestal Lantern	1 x 100W E27	–	230mm	–	585mm	–
KL5	Kingsley Post Lantern	1 x 100W E27	–	230mm	–	1140mm	–
KL7	Kingsley Half Lantern	1 x 100W E27	–	235mm	135mm	460mm	–

Marina Mini

THE MARINA MINI RANGE

This elegant and stylish fitting offers the blend of contemporary styling with traditional overtones. Manufactured from Die-Cast Aluminium this range is offered in Black, White or Black/Gold finishes and comes supplied with Opal Globes.











MRM1 White



MRM4 Black



MRM5 White

Model/Code	Description	Max Wattage	W.	Proj.	H.
MRM1	Marina Mini Wall Lantern	1x60W E27	230mm	260mm	340mm
MRM4	Marina Mini Pedestal Lantern	1x60W E27	230mm	-	480mm
MRM5	Marina Mini Pillar Lantern	1x60W E27	230mm	-	980mm

Marina
THE MARINA RANGE

With Styling taken from fittings seen lining many coastal resorts of Southern Europe these elegant but substantial globe fittings will compliment a variety of installations. Manufactured from Die-Cast Aluminium these lanterns are supplied with Opal Globes and are available in Black, White or Black/Gold finishes.


MR1 Black


MR7 Black/Gold






MR4 Black


MR12 White



Model/Code	Description	Max Wattage	W.	Proj.	H.
MR1	Marina Wall Lantern	1x100W E27	280mm	330mm	440mm
MR4	Marina Pedestal Lantern	1x100W E27	280mm	-	440mm
MR5	Marina Pillar Lantern	1x100W E27	280mm	-	1000mm
MR6	Marina Midi Lampost	1x100W E27	280mm	-	1730mm
MR8	Marina Twin Lampost	2x100W E27	680mm	-	2200mm
MR7	Marina Half Lantern	1x100W E27	220mm	130mm	400mm
MR12	Marina Flush Lantern	1x100W E27	300mm	165mm	-

Marina

THE MARINA RANGE



MR5 White



MR6 Black









MR8 White

Wilmslow

THE WILMSLOW RANGE – BLACK

An elegant and substantial Victorian Lamp range suitable for both Domestic and Commercial environments. The Lamp post has an access door to assist wiring installation and as with all the range is made predominantly of cast aluminium. Supplied with clear glass panels.



WSLP1/BLK



WSLB1/BLK



WSLN1/BLK



WSLL1/BLK

Model/Code	Description	Width	Height	Proj.	Max Wattage
WSLP1/BLK	Complete Post & Head Black	585mm	3300mm	-	200W E27
WSLB1/BLK	Wall Lantern Black	385mm	1145mm	675mm	200W E27
WSLN1/BLK	Newel Lantern Black	385mm	1060mm	–	200W E27
WSLL1/BLK*	Lantern Head Only Black	385mm	825mm	–	200W E27

*Includes 3.1/8" i/D Frog

Grampian

THE GRAMPIAN RANGE – BLACK

A distinctive range of Victorian Style Lanterns in black finish ideally suiting the Traditional British property. Manufactured predominantly of die cast aluminium and supplied with clear glass panels.



GP1/BLK



GB1/BLK



GN1/BLK



GL1/BLK

Model/Code	Description	Width	Height	Proj.	Max Wattage
GP1/BLK	Complete Post & Head Black	410mm	2850mm	–	150W E27
GB1/BLK	Wall Lantern Black	305mm	925mm	480mm	150W E27
GN1/BLK	Newel Lantern Black	305mm	860mm	–	150W E27
GL1/BLK*	Lantern Head Only Black	305mm	660mm	–	150W E27

*Includes 2" i/D Frog.

York

THE YORK RANGE

The York standard lantern range originates from the old coach lanterns of long ago and are manufactured completely from Die Cast Aluminium. These self-assembly lanterns are available in Black finish only.



BL2 Black



BL6A Rigid Tube Black



BL5 Shown in Black Finish



BL6B Chain Black



BL6C Flush Rose Black



BL7 Black



BL15 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL2	York Wall Lantern	1 x 100W BC	–	185mm	225mm	310mm	–
BL5	York Wall Lantern	1 x 100W BC	–	185mm	230mm	435mm	–
BL6A	York Rigid Tube Lantern	1 x 100W BC	–	185mm	–	260mm	–
BL6B	York Porch Chain Lantern	1 x 100W BC	–	185mm	–	200mm	500mm
BL6C	York Flush Porch Lantern	1 x 60W BC	–	185mm	–	200mm	–
BL7	York Pedestal Lantern	1 x 100W BC	–	185mm	–	315mm	–
BL15	York Half Lantern	1 x 100W BC	–	185mm	110mm	240mm	–

Hereford

THE HEREFORD RANGE

Typically English in appearance, these unique round lanterns offer decorative elegance yet functional appeal. Fully crafted in Die Cast Aluminium these self-assembly lanterns are available in Black finish only.



BL21B Chain shown in Black Finish



BL21 Black



BL21A Rigid Tube Black



BL10 Black



BL8 Black



BL13A Rigid Tube Black



BL13B Chain Black



BL12 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL8	Hereford Wall Lantern	1 x 100W BC	–	150mm	210mm	310mm	–
BL10	Hereford Wall Lantern	1 x 100W BC	–	150mm	215mm	420mm	–
BL12	Hereford Pedestal Lantern	1 x 100W BC	–	150mm	–	300mm	–
BL13A	Hereford Rigid Tube Lantern	1 x 100W BC	–	150mm	–	260mm	–
BL13B	Hereford Porch Chain Lantern	1 x 100W BC	–	150mm	–	200mm	500mm
BL21	Hereford Wall Lantern	1 x 100W BC	–	150mm	220mm	285mm	–
BL21A	Hereford Rigid Tube Lantern	1 x 100W BC	–	150mm	–	235mm	–
BL21B	Hereford Porch Chain Lantern	1 x 100W BC	–	150mm	–	175mm	475mm

Canterbury

THE CANTERBURY RANGE

A range of medium sized lanterns with typically British style window bars and elegant curves and scrolls. Manufactured from Die Cast Aluminium these self-assembly lanterns are available in Black finish only.



BL46M Black



BL15M Shown in Black Finish



DWP50M Black



BL52M Black



BL50M Black



BL48M Chain Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL46M	Canterbury Wall Lantern	1 x 100W BC	–	215mm	250mm	520mm	–
BL48M	Canterbury Porch Chain Lantern	1 x 100W BC	–	215mm	–	245mm	545mm
BL50M	Canterbury Pedestal Lantern	1 x 100W BC	–	215mm	–	400mm	–
BL52M	Canterbury Wall Lantern	1 x 100W BC	–	215mm	330mm	405mm	–
BL15M	Canterbury Half Lantern	1 x 100W BC	–	215mm	135mm	330mm	–
DWP50M	Canterbury Post Lantern	1 x 100W BC	–	215mm	–	1050mm	–

Winchester

THE WINCHESTER RANGE

The attractive Winchester lantern range reproduces the feel of the old candle style lanterns used hundreds of years ago. Hand crafted from cast aluminium these self-assembly lanterns are available in Black finish only.



BL19 Shown in Black Finish



BL18A Rigid Tube Black



BL25 Black



BL18 Black



BL18B Chain Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL18	Winchester Wall Lantern	1 x 100W BC	–	185mm	235mm	335mm	–
BL18A	Winchester Rigid Tube Lantern	1 x 100W BC	–	185mm	–	225mm	525mm
BL18B	Winchester Porch Chain Lantern	1 x 100W BC	–	185mm	–	285mm	–
BL19	Winchester Wall Lantern	1 x 100W BC	–	185mm	300mm	390mm	–
BL25	Winchester Pedestal Lantern	1 x 100W BC	–	185mm	–	410mm	–

Edinburgh

THE EDINBURGH RANGE

These large, distinctive lanterns, with their traditional windowed styling are ideal for larger installations. Fully manufactured in Die Cast Aluminium these self-assembly lanterns are available in Black finish only.



BL37 Black



BL38 Chain Shown in Black Finish



DWP33 Black



BL36 Black



BL33 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL33	Edinburgh Pedestal Lantern	1 x 150W BC	–	305mm	–	545mm	–
BL36	Edinburgh Wall Lantern	1 x 100W BC	–	305mm	365mm	505mm	–
BL38	Edinburgh Porch Chain Lantern	1 x 100W BC	–	305mm	–	340mm	640mm
BL37	Edinburgh Wall Lantern	1 x 150W BC	–	305mm	365mm	575mm	–
DWP33	Edinburgh Post Lantern	1 x 150W BC	–	305mm	–	1100mm	–

Security

SECURITY

Our range of security products are based around a collection of decorative lanterns with a Passive Infra - Red Sensor incorporated. Often used as a courtesy light, these products offer quality electronics with versatile functions resulting in attractive but very effective security lighting. Available in a choice of Black or White finish.



MD7 PIR

Adjustable range 3 mtrs to 12 mtrs
Adjustable time 10 secs to 3mins
110 degrees detection angle
100 watt switching capacity
Remote override including
Photocell only operation.



KL1 PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle -
rotatable 180 degrees
300 watt switching capacity
Manual override facility.



BW1 PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle -
rotatable 180 degrees
300 watt switching capacity
Manual override facility.



MD1PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle -
rotatable 180 degrees
300 watt switching capacity
Manual override facility.

Security

SECURITY



BL5 PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle -
rotatable 180 degrees
300 watt switching capacity
Manual override facility.



RP1 PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle -
rotatable 180 degrees
300 watt switching capacity
Manual override facility.



BL46M PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle -
rotatable 180 degrees
300 watt switching capacity
Manual override facility.

Exterior Lighting Corner Brackets



C/BKT3 C/BKT1 C/BKT2

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL5 P.I.R	York Passive Infa Red Lantern	1 x 100W BC	–	185mm	280mm	370mm	–
BL46M P.I.R	Canterbury Passive Infa Red Lantern	1 x 100W BC	–	215mm	295mm	455mm	–
BW1 P.I.R	Bentworth Passive Infa Red Lantern	1 x 100W E27	–	155mm	265mm	400mm	–
KL1 P.I.R	Kingsley Passive Infa Red Lantern	1 x 100W E27	–	230mm	325mm	545mm	–
MD1 P.I.R	Medstead Passive Infa Red Lantern	1 x 100W E27	–	225mm	320mm	480mm	–
MD7 P.I.R	Medstead Passive Infa Red Lantern	1 x 100W E27	–	260mm	115mm	440mm	–
RP1 P.I.R	Ropley Passive Infa Red Lantern	1 x 100W E27	–	175mm	270mm	410mm	–



Contemporary Interior Lighting

High Wire

HIGH WIRE SYSTEMS

Offering an alternative and stylish addition to any room, these cable systems can be mounted horizontally and in some cases, vertically.

The high wire cable systems are supplied complete with fittings, 10 metres of cable (giving a 5 metre span); toroidal low voltage transfomer; dichroic lamps in either 20 watt; 35 watt or 50 watt; full fixing kit and comprehensive easy to follow instructions.

Although generally available as complete kits, the component parts may be ordered separately as accessories which include Isolators and Corner Support posts, as well as single arms of any of the kits shown.
Toroidal transformers are available as 75va; 105va; 150va; 200va or 300va.

The high performance, low voltage lamps provide subtle lighting conditions whilst adding an exciting focal point to any room with dramatic effect.



Tectra blue 5 light
Available with 20 watt or 35 watt lamps



Tectra acid 5 light
Available with 20 watt or 35 watt lamps



Ultron 5 light
Available with 20 watt or 35 watt lamps



Optra 5 light
Available with 20 watt, 35 watt or 50 watt lamps



Lunar 5 light
Available with 20 watt, 35 watt or 50 watt lamps



Luxor 5 light
Available with 20 watt, 35 watt or 50 watt lamps

High Wire

HIGH WIRE SYSTEMS



Lunar 3 light
Available with 20 watt, 35 watt or 50 watt lamps



Tondo 5 light
Available with 20 watt or 35 watt lamps



Astro 5 light
Available with 20 watt, 35 watt or 50 watt lamps



Twist 5 light
Available with 20 watt, 35 watt or 50 watt lamps



Spacy 5 light
Available with 20 watt, 35 watt or 50 watt lamps



Axel 7 light
Available with 20 watt or 35 lamps

ACCESSORIES



Isolators - per pair



Centre Feed Connectors per pair



Corner Support Post per pair



Tensioning Kit

Mirror Lights

MIRROR LIGHTS

With eight designs this unique range of Mirror Lights at last offer a stylish way to illuminate mirrors. Each model blends contemporary style with innovative design and come supplied complete with transformers and low voltage lamps. Their low running costs, high performance and ease of installation provide the end user with the ideal lighting solution. Excellent versatility and colour enhancing properties also allow these to be equally impressive illuminating pictures and other forms of wall decoration.

A Bevelled Arched mirror (590 x 450 mm) is available with any of the mirror lights. The mirror lights are supplied with a slimline electronic transformer.



Herez large green
Complete with 2 x 35 watt lamps



Suzuka small chrome
Complete with 3 x 20 watt lamps



Estoril small blue
Complete with 3 x 20 watt lamps



Herez small yellow
Complete with 3 x 20 watt lamps



Monza large
Complete with 2 x 35 watt lamps



Suzuka large chrome
Complete with 2 x 35 watt lamps



Estoril small satin
Complete with 3 x 20 watt lamps



Estoril large satin
Complete with 2 x 35 watt lamps

Kiko Range

THE KIKO RANGE

The Kiko low voltage range offers modern designs, in a Nickel / Beechwood finish, with each model supplied complete with 20 watt, or 35 watt, halogen capsule lamps, and either a remote or integral transfomer, dependant on model type.

All five models in this range add an exciting design feel to any setting offering high quality light performance.



Ki/ DL - Kiko Desk lamp with remote transformer and 35 watt lamp
Max height approx 580mm



Ki/FL - Kiko floor lamp c/w remote transformer and 35 watt lamp
Max height approx 1440mm



Ki/WB2 - Kiko wall bracket with intergal transfomer shown with Alabaster glass shade c/w 20 watt lamp
Ki/ WB1- Kiko wall bracket with remote transformer shown with Alabaster glass shade c/w 20 watt lamp
Max height approx 300mm



Ki/WB2 Kiko wallbracket with integral transformer shown with metal shade. c/w 20 watt lamp
Ki/WB1 Kiko wall bracket with remote transformer shown with metal shade c/w 20 watt
Max height approx 300mm



Ki/TL - Kiko Table lamp with remote transfomer and 20 watt lamp shown with Alabaster glass shade.
Ki/TL- Kiko Table lamp with remote transfomer and 20 watt lamp shown with metal shade
Max height approx 350mm

Contemporary Exterior Lighting

Produced in association with ares s.r.l., Milan

Contemporary

CONTEMPORARY EXTERIOR LIGHTING

TECHNICAL INFORMATION

Approvals

All of our Contemporary fittings have undergone rigorous testing and carry the most stringent approval mark Ⓝ which signifies the Norwegian Nemko quality mark. The Nemko Ⓝ mark is recognised by BSi and BSi accepts that all UK conditions are met by this approval. The CE mark is our statement of conformity to the needs of each individual product as a worldwide recognised mark. These fittings are produced to CE standards and comply under CE89/336/CEE for EMC (Electro Magnetic Compatibility) and CE73/23/CEE for Electrical Material at Low Tension.

IP Ratings

These fittings have been built to the highest standards of weather protection and all have an independent IP rating. The higher the IP rating, the greater the protection from weather/atmospheric conditions. The majority of our Contemporary range are rated IP44 and above with many fittings at IP54 and IP65.

IP Rating Table

IP Rating	Level of Protection
IP23	Against solid objects greater than 12mm and against spraying water.
IP43	Against solid objects greater than Dia.1mm and against spraying water.
IP44	Against solid objects greater than Dia. 1mm and against splashing water.
IP54	Dust protected and against splashing water.
IP65	Dust tight and against water jets.
IP67	Dust tight and against submersion.

Compact Fluorescent Lamp (CFL) Performance

Most of this range has been produced using Compact Fluorescent Lamps (CFL's). The two distinct advantages offered by the use of CFL's are low energy consumption (only 20% on average of the same used by a regular incandescent light source for the same light output) and a lamp life of around 8 times that of an average incandescent lamp.

CFL Performance/Comparison table

CFL Wattage	Lamp Cap	Incandescent Equivalent	Luminous Flux - CFL's
7w	G23	40W	600
9W	G23	53W	750
10W	G24d1	60W	825
13W	G24d1	75W	900
18W	G24d2	100W	1200
26W	G24d3	2x75W	1800
36W	2G10	200W	2900

Specials/Non Standard Options

To meet the needs of today's demanding marketplace we can offer the following option considerations upon application:-

a) Colour - products can be produced in 3 alternative base colours, being White, Graphite and Aluminium. (Check catalogue for each range colour availability as standard). On top of these any RAL or BS colour can be specified to order.

b) Lamp Source - Some products can be converted to alternative lamp sources including Mercury, Halogen and Incandescent. Some products can also have their CFL wattage lowered or increased.

c) Bollards/Columns - Where required, Bollard heights can be raised or lowered and in some cases have Twin lamp heads incorporated. Lamppost columns can also be altered where needed and also be substituted by taller, more substantial alternatives that go up to 4 metres in height.

Where any of the above options are required please submit full details so that accurate quotations can be offered. Please bear in mind that delivery periods will be extended by many of the above options.

Olympic

IP44

THE OLYMPIC RANGE

The Olympic range offers contemporary styling matched with high technical performance. Each fitting is supplied with an 18W CFL low energy unit, opal PMMA globes and is available in black finish only. Post fittings are available with a choice of columns.



Olympic B2 black (head only)
specify column seperately



Olympic A1 Black



Olympic B1 black (head only)
specify column seperately



Olympic B3 black (head only)
specify column seperately



Olympic cap
(mandatory adaptor if
specifying column B or C)



Column D Black
60mm Ø tube
height excluding head 1000mm
or 2000mm

Column B Black
48mm Ø - 70mm Ø tube
adjustable height 1250mm
min to 2100mm max
(excluding heads)

Column C Black
48mm Ø - 70mm Ø tube
includes access door
adjustable height 1250mm
min to 2100mm max
(excluding heads)





Model/Code	Light Source	IP Rating	H.	W.	Proj
Olympic A1	1x18W CFL-G24d2	IP44	360mm	300mm	340mm
Olympic B1	1x18W CFL-G24d2	IP44	360mm	300mm	-
Olympic B2	2x18W CFL-G24d2	IP44	385mm	700mm	-
Olympic B3	3x18W CFL-G24d2	IP44	385mm	680mm	-

Strasbourg

IP44

THE STRASBOURG RANGE

With it's contemporary looks matched with versatility the Strasbourg is a competent and professional product offered in either a basic version using E27 100W or a more high specification using 2x18W CFL low energy units. These fittings are available in black or white finish and use self-extinguishing polycarbonate lenses. Post fittings are available with a choice of columns.



Strasbourg A1 Black



Strasbourg B2 White (heads only)
Specify columns separately.





Strasbourg B1 Black (head only)
Specify columns separately.



Column B Black
48mm Ø - 70mm Ø tube
adjustable height 1250mm
min to 2100mm max
(excluding heads)

Column C Black
48mm Ø - 70mm Ø tube
includes access door
adjustable height 1250mm
min to 2100mm max
(excluding heads)



Column A Black
48mm Ø tube
height excluding head 1000mm

Model/Code	Light Source	IP Rating	H.	W.	Proj
Strasbourg A1	2x18W CFL-G24d2	IP44	420mm	300mm	480mm
Strasbourg A1/27	1x100W E27	IP44	420mm	300mm	480mm
Strasbourg B1	2x18W CFL-G24d2	IP44	420mm	450mm	-
Strasbourg B1/27	1x100W E27	IP44	420mm	450mm	-
Strasbourg B2	4x18W CFL-G24d2	IP44	420mm	910mm	-
Strasbourg B2/27	2x100W E27	IP44	420mm	910mm	-

Rouen

IP65

THE ROUEN RANGE

The Rouen offers professional performance with style and adaptability expected from a specification level exterior spotlight. Available in wall, groundspike and bollard mounted versions the Rouen is supplied with tempered glass and in black finish.


Rouen A1shown on groundspike.

Rouen A1 shown on groundspike


Rouen A1 shown on 60mm Ø column.


Rouen A1 wall mounted.






Rouen groundspike

Model/Code	Light Source	IP Rating	H.	W.	Proj
Rouen A1	1x100W E27	IP65	210mm	140mm	260mm

Stockholm

IP44

THE STOCKHOLM RANGE

The Stockholm achieves the blend of classical lines with contemporary appearance and is supplied with a self extinguishing opal polycarbonate lens. Available in black or white finish.


Stockholm A1 white


Stockholm A1 black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Stockholm A1	1x100W E27	IP44	380mm	235mm	145mm

Madrid

Ⓝ CE **IP54**

THE MADRID RANGE

The Madrid is a unique, versatile and compact fitting designed to be mounted in 3 ways; 2 wall and 1 recessed wall. Offering good light performance for such a small fitting each unit is fitted with an 18W CFL low energy unit and is supplied with tempered sandblasted glass. Available in black only.


Madrid AI Black


Madrid A2 Black




Madrid B1/1000 Black


Madrid A2 Black


Madrid wall box - mandatory if recessing fitting.

Madrid AI Black





Madrid wall box

Model/Code	Light Source	IP Rating	H.	W.	Proj
Madrid A1	1x18W CFL-G24d2	IP54	125mm	230mm	100mm
Madrid A2	1x18W CFL-G24d2	IP54	125mm	230mm	100mm
Madrid B1/1000	1x18W CFL-G24d2	IP54	1000mm	300mm	100mm

Athens

Ⓝ CE **IP54**

THE ATHENS RANGE

The Athens shares the blend of contemporary with almost gothic yet there is nothing traditional in the performance of this fitting. Available in black or white finishes, this model is fitted with an 18W CFL low energy light source and also benefits from a tempered sandblasted glass.






Athens AI Black


Athens AI White

Model/Code	Light Source	IP Rating	H.	W.	Proj
Athens A1	1x18W CFL-G24d2	IP54	220mm	160mm	180mm

Nice

THE NICE RANGE

Ⓝ CE **IP43/IP44**

The Nice series offers a wall and Bollard fitting range which portray simple elegance with contemporary styling. Available in Black or white finish these fittings offer good light performance through their 18w CFL low energy units and are supplied with self-extinguishing Polycarbonate lenses.



Nice AI Black




Nice B1/1130 Black and White


Nice B1/1130 White

Model/Code	Light Source	IP Rating	H.	W.	Proj
Nice A1	1x18W CFL-G24d2	IP43	330mm	130mm	200mm
Nice B1/1130	1x18W CFL-G24d2	IP44	1130mm	130mm	-

Antwerp

THE ANTWERP RANGE

Ⓝ CE **IP43/IP44**

For the more modern installation the Antwerp will be ideal, offering a blend of exceptional lighting performance matched with it's striking design. Fitted with 26W CFL low energy units this range is available in Black or White finish and is supplied with a PMMA lens.

Antwerp AI Black




Antwerp B1/1130 Black and White




Antwerp B1/1130 Black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Antwerp A1	1x26W CFL-G24d3	IP43	330mm	130mm	200mm
Antwerp B1/1130	1x26W CFL-G24d3	IP44	1130mm	130mm	-

Zurich

IP54

THE ZURICH RANGE

The Zurich is a product of exceptional performance and quality and is fitted with 2x13W CFL low energy lamps. Supplied with a tempered sandblasted glass these fittings are offered in Black, White or Chrome finishes. (Bollard not available in chrome).

Zurich Al White


Zurich Al White


Zurich Al Black


Zurich Al Chrome




Zurich B1/1000 Black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Zurich A1	2x13W CFL-G24d1	IP54	170mm	275mm	170mm
Zurich B1/1000	2x13W CFL-G24d1	IP54	1000mm	300mm	250mm

Marrakesh

IP65

THE MARRAKESH RANGE

With it's unique appearance and clever design, the Marrakesh offers the opportunity of being specified in a variety of installations from offices and urban buildings through to comtemporary domestic properties. Supplied with an 18W CFL low energy unit and self extinguishing polycarbonate lens this range is available in black finish only as standard.


Marrakesh Al Black


Marrakesh Al Black


Marrakesh Bl/1000 Black



Model/Code	Light Source	IP Rating	H.	W.	Proj
Marakesh A1	1x18W CFL-G24d2	IP65	250mm	250mm	125mm
Marakesh B1/1000	1x18W CFL-G24d2	IP65	1000mm	250mm	150mm

Roma

IP54

THE ROMA RANGE

An extremely versatile yet attractive fitting, giving 4 mounting options from the same model. Available in black or white finish and offering high performance from the 2x13W low energy units. The Roma is fitted with tempered, sandblasted glass, and suitable for wall or ceiling installation.



Roma A1 black mounting option 3/4

Roma A1 Black Mounting option 1



Roma A1 Black Mounting option 2



Model/Code	Light Source	IP Rating	H.	W.	Proj
Roma A1	2x13W CFL G24d1	IP54	260mm	260mm	85mm

Budapest

IP54

THE BUDAPEST RANGE

A functional yet attractive wall or ceiling bulkhead fitting, offering high performance from the 2 x 13W low energy units. Includes in the range a 1 metre bollard and are all available in black or white finishes (also chrome on A1 version) with tempered, sandblasted glass and suitable for wall or ceiling applications.



Budapest B1/1000



Budapest A1 Chrome

Budapest A1 Black

Budapest A1 White





Model/Code	Light Source	IP Rating	H.	W.	Proj
Budapest A1	2x13W CFL G24d1	IP54	230mm	230mm	62mm
Budapest B1/1000	2x13W CFL G24d1	IP54	1000mm	300mm	142mm

Lisbon

IP54

THE LISBON RANGE

Designed to be functional, yet offering style and performance, the Lisbon series will fit within a wide variety of applications and offers good performance of light output through the 2x9W CFL low energy units. The fittings are supplied with self extinguishing Polycarbonate lenses and are available in Black or White finish except Lisbon A3 which is also available in a chrome plated finish.


Lisbon A3 Black

Lisbon A1 Black


Lisbon A2 Black


Lisbon A3 Black


Lisbon A3 Chrome


Lisbon A1 Black


Lisbon A2 Black



Model/Code	Light Source	IP Rating	H.	W.	Proj
Lisbon A1	2x9W CFL-G23	IP54	260mm	150mm	110mm
Lisbon A2	2x9W CFL-G23	IP54	150mm	260mm	110mm
Lisbon A3	2x9W CFL-G23	IP54	260mm	150mm	110mm

Atlanta

IP65

THE ATLANTA RANGE

Angular, contemporary styling matched with compact dimensions ensures this fitting will suit a wide variety of applications. Fitted with a self- extinguishing Polycarbonate lens and available in Black finish only as standard.


Atlanta A1 Black


Atlanta A1 Black


Atlanta BI/500



Model/Code	Light Source	IP Rating	H.	W.	Proj
Atlanta A1	1x13W CFL-G24d1	IP65	215mm	215mm	100mm
Atlanta B1/500	1x13W CFL-G24d1	IP65	500mm	300mm	180mm

Odense

IP65

THE ODENSE RANGE

Odense is the most compact fitting within the range designed to fulfil the need of small size with contemporary looks. Available in a choice of 2 light sources and colours with each fitting supplied with an opal self extinguishing polycarbonate lens.


Odense A1 White

Odense A1 Black


Odense A1 Black


Odense A1 Black



Model/Code	Light Source	IP Rating	H.	W.	Proj
Odense A1	1x7W CFL-G23	IP65	115mm	190mm	110mm
Odense A1/14	1x60W E-14	IP65	115mm	190mm	110mm

Venezia

IP44

THE VENEZIA RANGE

The Venezia is a distictive yet modern exterior bulkhead downlight. Aided by it's conical reflector this unit offers good lumen performance provided by the 18W CFL low energy light source. Available in black only and supplied with a toughened clear glass lens.




Venezia A1 Black

Venezia A1 Black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Venezia A1	1x18W CFL-G24d2	IP44	230mm	130mm	-

Malmo

IP65

THE MALMO RANGE

The Malmo series is arguably the most comprehensive offer within our range, varying from 170mm to 380mm in diameter size, from E14 60W Incandescent to 36W CFL low energy and from wall to ceiling to Bollard. Exceptional specification, attractive, clinical looks and high performance light output will ensure this range will meet the most demanding requirements. Fully available in black finish, together with 2 models available in our distinctive chrome finish these fittings are supplied with self-extinguishing Polycarbonate lenses.





Malmo A1
Chrome



Malmo A2
Chrome

Malmo A1
Black

Malmo A2 Black

Malmo A3 Black





Malmo A4 Black



Malmo A4 Black



Malmo B4/1000 Black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Malmo A1	1x10W CFL-G24d1	IP65	170mm	170mm	80mm
Malmo A1/14	1x60W E-14	IP65	170mm	170mm	80mm
Malmo A2	2x13W CFL-G24d1	IP65	270mm	270mm	110mm
Malmo A3	1x36W CFL-2G10	IP65	380mm	380mm	120mm
Malmo A4	2x13W CFL-G24d1	IP65	270mm	270mm	120mm
Malmo B4/1000	2x13W CFL-G24d1	IP65	1000mm	270mm	145mm